

## **COSHH Risk Assessment**

JANGRO KETTLE & SHOWER DESCALER (500 Ltr) Product Code: BB024-50



PROCESS STAGE POTENTIAL RISK CONTROL MEASURES **ACTION REQUIRED** DELIVERY Packaged in 500ml polythene bottle. Risk of spillage if the container is Trained employees should handle only Transfer bottles to store immediately dropped. Risk of injury to user if single container at any given time. Take following delivery. Do not leave bags in dropped. Risk of strain injuries if not care not to drop bottles. Ensure that the areas where users of the building will handled correctly. cap is secured at all times. come into contact with them. STORAGE Store product securely in a cool, dry, well-Reacts with concentrated alkaline Store away from hypochlorite and other Use oldest stock first. Make regular oxidising agents. Restrict access to ventilated area. Product must be kept materials. Minimal risk of spillage if checks to ensure that containers are not stored in its original container. Keep tightly caps are firmly. storage areas to authorised personnel. split or blown/damaged. Make regular closed when not in use. Keep the store well ventilated. Keep a spill checks to ensure that storage area is clean-up kit nearby. clean, dry and well-ventilated. Never decant concentrate into an unlabelled container. USAGE Handle the containers with care. Wear Product is diluted according to equipment Risk of eye contact. Risk of skin Provide employees with PPE as follows: contact. Risk of ingestion. Take care • Protective clothing required descaling i.e. kettle, coffee Personal Protective Equipment. Ensure when opening containers. Risk of machine, steam irons or shower heads. that the container is returned to the store • PVC or Rubber gloves spillage onto floor and into drainage when not in use. Always read the • Eye/face protection Ensure that manufacturer's instructions prior to use. operatives are aware of location of First system. Ensure that all spillages are wiped up Aid facilities and personnel. immediately. DISPOSAL Discharge used solutions to drain. Small Small risk of skin or eye contact. Risk Wash out the container using plenty of Ensure that all operatives wear Personal amount (less than 5 litres) of unwanted of contamination with other water and consign to normal waste. Do Protective Equipment at all times during product may be flushed with water to not store any other material in the empty disposal. substances. sewer. Larger volumes must be sent for container. Ensure that the product is disposal as special waste. exhausted before disposal.

Name of Assessor:	Signed:	Print:
Position:	Date of Assessment:	Review Date:

N.B. This risk assessment is offered as guidance only. It is your responsibility to ensure that it reflects the use of the product in your operation and amend accordingly.