

# **Safety Data Sheet**

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 32-9595-3
 Version Number:
 12.00

 Issue Date:
 02/13/24
 Supercedes Date:
 09/07/22

# **SECTION 1: Identification**

### 1.1. Product identifier

Scotchgard(TM) Resilient Floor Protector

**Product Identification Numbers** 

ID Number UPC ID Number UPC

70-0716-5924-0 00-51125-85861-3 70-0716-5944-8 00-51125-85880-4

7010386087, 7100058130

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Water based formula protects resilient flooring surfaces such as vinyl, vinyl composition (VCT), and solid vinyl tile (SVT)., Hard Floor Maintenance

1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Commercial Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

## 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 2.2. Label elements

# Signal word

Not applicable.

# **Symbols**

Not applicable.

# **Pictograms**

Not applicable.

**Page** 1 **of** 10

26% of the mixture consists of ingredients of unknown acute oral toxicity.

26% of the mixture consists of ingredients of unknown acute dermal toxicity.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                               | C.A.S. No.    | % by Wt                |
|--|---------------|------------------------|
| Water                                    | 7732-18-5     | 60 - 80 Trade Secret * |
| Nanoscale Proprietary Stabilizer         | Trade Secret* | 5 - 15 Trade Secret *  |
| Emulsion Polymer Blend                   | Trade Secret* | 5 - 10 Trade Secret *  |
| Ethoxydiglycol                           | 111-90-0      | 1 - 5 Trade Secret *   |
| POLY(METHY METHACRYLATE)                 | 9011-14-7     | 1 - 5 Trade Secret *   |
| POLYURETHANE POLYMER NJ RTK: 800967-5782 | None          | 1 - 5 Trade Secret *   |
| Benzyl Benzoate                          | 120-51-4      | < 2 Trade Secret *     |
| Dipropylene Glycol Butyl Ether           | 29911-28-2    | < 1 Trade Secret *     |
| Tributoxyethyl Phosphate                 | 78-51-3       | < 1 Trade Secret *     |
| Siloxane Carboxylate Potassium Salt      | Trade Secret* | < 1 Trade Secret *     |
| POLYETHYLENE WAX                         | Trade Secret* | < 0.2 Trade Secret *   |
| Dimethicone                              | Trade Secret* | < 0.1 Trade Secret *   |
| Methylchloroisothiazolinone              | 26172-55-4    | < 0.01 Trade Secret *  |
| Methylisothiazolinone                    | 2682-20-4     | < 0.01 Trade Secret *  |

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eye Contact**

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

## If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

# **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

#### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

## 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

# 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidizing agents.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient     | C.A.S. No. | Agency | Limit type            | <b>Additional Comments</b> |
|----------------|------------|--------|-----------------------|----------------------------|
| Ethoxydiglycol | 111-90-0   | AIHA   | TWA:140 mg/m3(25 ppm) |                            |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

## 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

None required.

# Skin/hand protection

No chemical protective gloves are required.

## Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance

Physical stateLiquidColorMilky White

Odor Slight Paint
Odor threshold No Data Available

pH 8.2

Melting pointNo Data AvailableBoiling Point>= 212 °F

Flash Point > 200 °F [Test Method: Closed Cup]

Evaporation rateNo Data AvailableFlammability (solid, gas)Not ApplicableFlammable Limits(LEL)No Data AvailableFlammable Limits(UEL)No Data AvailableVapor Pressure<=17.5 mmHg [@ 20 °C]</th>

**Vapor Density**No Data Available **Density**1 - 1.2 g/ml

Specific Gravity 1 - 1.2 [Details: Water =1]

Solubility In WaterNo Data AvailableSolubility- non-waterNo Data AvailablePartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data Available

Decomposition temperature

No Data Available
Viscosity

4 centipoise
Molecular weight

No Data Available

**Volatile Organic Compounds** 0 - 0.1 %

Percent volatile No Data Available

VOC Less H2O & Exempt Solvents 0 - 4.0 g/l

\_\_\_\_\_

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

## 10.2. Chemical stability

Stable.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

Strong acids Strong bases

Strong oxidizing agents

Alkali and alkaline earth metals

## 10.6. Hazardous decomposition products

| <u>Substance</u>   | <u>Condition</u> |
|--------------------|------------------|
| Carbon monoxide    | Not Specified    |
| Carbon dioxide     | Not Specified    |
| Ammonia            | Not Specified    |
| Oxides of Nitrogen | Not Specified    |

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

## 11.1. Information on Toxicological effects

## Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

## Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

## **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

## **Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

#### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

# **Acute Toxicity**

| Name                                | Route                                 | Species                           | Value  |
|-------------------------------------|---------------------------------------|-----------------------------------|--|
| Overall product                     | Dermal                                |                                   | No data available; calculated ATE >5,000 mg/kg |
| Overall product                     | Ingestion                             |                                   | No data available; calculated ATE >5,000 mg/kg |
| Ethoxydiglycol                      | Dermal                                | Rabbit                            | LD50 9,143 mg/kg                               |
| Ethoxydiglycol                      | Ingestion                             | Rat                               | LD50 5,400 mg/kg                               |
| POLY(METHY METHACRYLATE)            | Dermal                                |                                   | LD50 estimated to be > 5,000 mg/kg             |
| POLY(METHY METHACRYLATE)            | Ingestion                             | Rat                               | LD50 > 5,000 mg/kg                             |
| Benzyl Benzoate                     | Dermal                                | Professio<br>nal<br>judgeme<br>nt | LD50 estimated to be 2,000 - 5,000 mg/kg       |
| Benzyl Benzoate                     | Ingestion                             | Rat                               | LD50 > 2,000 mg/kg                             |
| Siloxane Carboxylate Potassium Salt | Dermal                                | similar<br>compoun<br>ds          | LD50 > 2,000 mg/kg                             |
| Siloxane Carboxylate Potassium Salt | Inhalation-<br>Dust/Mist<br>(4 hours) | similar<br>compoun<br>ds          | LC50 2.3 mg/l                                  |
| Siloxane Carboxylate Potassium Salt | Ingestion                             | similar<br>compoun<br>ds          | LD50 > 5,000 mg/kg                             |
| Tributoxyethyl Phosphate            | Dermal                                | Rabbit                            | LD50 > 5,000 mg/kg                             |
| Tributoxyethyl Phosphate            | Inhalation-<br>Dust/Mist<br>(4 hours) | Rat                               | LC50 > 6.4 mg/l                                |
| Tributoxyethyl Phosphate            | Ingestion                             | Rat                               | LD50 4,700 mg/kg                               |
| Dimethicone                         | Dermal                                | Rabbit                            | LD50 > 19,400 mg/kg                            |
| Dimethicone                         | Ingestion                             | Rat                               | LD50 > 17,000 mg/kg                            |
| Methylchloroisothiazolinone         | Dermal                                | Rabbit                            | LD50 87 mg/kg                                  |
| Methylchloroisothiazolinone         | Inhalation-<br>Dust/Mist<br>(4 hours) | Rat                               | LC50 0.171 mg/l                                |
| Methylchloroisothiazolinone         | Ingestion                             | Rat                               | LD50 40 mg/kg                                  |
| Methylisothiazolinone               | Dermal                                | Rabbit                            | LD50 87 mg/kg                                  |
| Methylisothiazolinone               | Inhalation-<br>Dust/Mist<br>(4 hours) | Rat                               | LC50 0.171 mg/l                                |
| Methylisothiazolinone               | Ingestion                             | Rat                               | LD50 40 mg/kg                                  |

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

| Name                        | Species | Value                     |
|-----------------------------|---------|---------------------------|
|                             |         |                           |
| Ethoxydiglycol              | Rabbit  | No significant irritation |
| POLY(METHY METHACRYLATE)    | Rabbit  | No significant irritation |
| Benzyl Benzoate             | Rabbit  | Minimal irritation        |
| Dimethicone                 | Rabbit  | No significant irritation |
| Methylchloroisothiazolinone | Rabbit  | Corrosive                 |
| Methylisothiazolinone       | Rabbit  | Corrosive                 |

Serious Eye Damage/Irritation

| Name                        | Species | Value                     |
|-----------------------------|---------|---------------------------|
| Ethoxydiglycol              | Rabbit  | Moderate irritant         |
| POLY(METHY METHACRYLATE)    | Rabbit  | Mild irritant             |
| Benzyl Benzoate             | Rabbit  | No significant irritation |
| Dimethicone                 | Rabbit  | No significant irritation |
| Methylchloroisothiazolinone | Rabbit  | Corrosive                 |

**Page** 6 **of** 10

| Scotchgard(TM) | Resilient Floor Protector |
|----------------|---------------------------|
|                |                           |

02/13/24

| Metl | ylisothiazolinone | Rabbit | Corrosive |
|------|-------------------|--------|-----------|

# **Skin Sensitization**

| Name                        | Species | Value          |
|-----------------------------|---------|----------------|
| Ethoxydiglycol              | Human   | Not classified |
| Benzyl Benzoate             | Human   | Not classified |
|                             | and     |                |
|                             | animal  |                |
| Methylchloroisothiazolinone | Human   | Sensitizing    |
|                             | and     |                |
|                             | animal  |                |
| Methylisothiazolinone       | Human   | Sensitizing    |
|                             | and     |                |
|                             | animal  |                |

# **Photosensitization**

| Name                        | Species | Value           |
|-----------------------------|---------|-----------------|
| Methylchloroisothiazolinone | Human   | Not sensitizing |
|                             | and     |                 |
|                             | animal  |                 |
| Methylisothiazolinone       | Human   | Not sensitizing |
|                             | and     | -               |
|                             | animal  |                 |

# **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name                        | Route    | Value  |
|-----------------------------|----------|--|
|                             |          |  |
| Ethoxydiglycol              | In Vitro | Not mutagenic                                  |
| Ethoxydiglycol              | In vivo  | Not mutagenic                                  |
| Benzyl Benzoate             | In Vitro | Not mutagenic                                  |
| Methylchloroisothiazolinone | In vivo  | Not mutagenic                                  |
| Methylchloroisothiazolinone | In Vitro | Some positive data exist, but the data are not |
|                             |          | sufficient for classification                  |
| Methylisothiazolinone       | In vivo  | Not mutagenic                                  |
| Methylisothiazolinone       | In Vitro | Some positive data exist, but the data are not |
|                             |          | sufficient for classification                  |

Carcinogenicity

| Name                        | Route     | Species | Value            |
|-----------------------------|-----------|---------|------------------|
| Methylchloroisothiazolinone | Dermal    | Mouse   | Not carcinogenic |
| Methylchloroisothiazolinone | Ingestion | Rat     | Not carcinogenic |
| Methylisothiazolinone       | Dermal    | Mouse   | Not carcinogenic |
| Methylisothiazolinone       | Ingestion | Rat     | Not carcinogenic |

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

| Name           | Route      | Value                          | Species | Test Result              | Exposure<br>Duration        |
|----------------|------------|--------------------------------|---------|--------------------------|-----------------------------|
| Ethoxydiglycol | Dermal     | Not classified for development | Rat     | NOAEL 5,500<br>mg/kg/day | during<br>organogenesi<br>s |
| Ethoxydiglycol | Ingestion  | Not classified for development | Mouse   | NOAEL 5,500<br>mg/kg/day | during<br>organogenesi<br>s |
| Ethoxydiglycol | Inhalation | Not classified for development | Rat     | NOAEL 0.6<br>mg/l        | during<br>organogenesi<br>s |

**Page** 7 **of** 10

| Ethoxydiglycol              | Ingestion | Not classified for male reproduction   | Rat | NOAEL 2,200 | 2 generation |
|-----------------------------|-----------|--|-----|-------------|--------------|
|                             |           |  |     | mg/kg/day   |              |
| Benzyl Benzoate             | Ingestion | Not classified for development         | Rat | NOAEL 194   | during       |
|                             |           |  |     | mg/kg/day   | gestation    |
| Methylchloroisothiazolinone | Ingestion | Not classified for female reproduction | Rat | NOAEL 10    | 2 generation |
|                             |           |  |     | mg/kg/day   |              |
| Methylchloroisothiazolinone | Ingestion | Not classified for male reproduction   | Rat | NOAEL 10    | 2 generation |
|                             |           | _                                      |     | mg/kg/day   |              |
| Methylchloroisothiazolinone | Ingestion | Not classified for development         | Rat | NOAEL 15    | during       |
|                             |           |  |     | mg/kg/day   | organogenesi |
|                             |           |  |     |             | S            |
| Methylisothiazolinone       | Ingestion | Not classified for female reproduction | Rat | NOAEL 10    | 2 generation |
| ,                           |           | •                                      |     | mg/kg/day   |              |
| Methylisothiazolinone       | Ingestion | Not classified for male reproduction   | Rat | NOAEL 10    | 2 generation |
| ,                           |           | -                                      |     | mg/kg/day   |              |
| Methylisothiazolinone       | Ingestion | Not classified for development         | Rat | NOAEL 15    | during       |
|                             |           |  |     | mg/kg/day   | organogenesi |
|                             |           |  |     | •           | s            |

# Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

| Name                         | Route      | Target Organ(s)        | Value  | Species                      | Test Result            | Exposure<br>Duration |
|------------------------------|------------|------------------------|--|------------------------------|------------------------|----------------------|
| Ethoxydiglycol               | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification |                              | NOAEL Not<br>available |                      |
| Methylchloroisothiazolinon e | Inhalation | respiratory irritation | May cause respiratory irritation   | similar<br>health<br>hazards | NOAEL Not available    |                      |
| Methylisothiazolinone        | Inhalation | respiratory irritation | May cause respiratory irritation   | similar<br>health<br>hazards | NOAEL Not<br>available |                      |

**Specific Target Organ Toxicity - repeated exposure** 

| Name            | Route     | Target Organ(s)  | Value  | Species | Test Result                 | Exposure<br>Duration |
|-----------------|-----------|--|--|---------|-----------------------------|----------------------|
| Ethoxydiglycol  | Dermal    | kidney and/or<br>bladder   | Not classified   | Rabbit  | NOAEL<br>1,000<br>mg/kg/day | 12 weeks             |
| Ethoxydiglycol  | Ingestion | liver  | Some positive data exist, but the data are not sufficient for classification | Pig     | NOAEL 167<br>mg/kg/day      | 90 days              |
| Ethoxydiglycol  | Ingestion | kidney and/or<br>bladder   | Some positive data exist, but the data are not sufficient for classification | Mouse   | NOAEL<br>2,700<br>mg/kg/day | 90 days              |
| Ethoxydiglycol  | Ingestion | endocrine system   | Not classified   | Rat     | NOAEL<br>2,500<br>mg/kg/day | 90 days              |
| Ethoxydiglycol  | Ingestion | heart  <br>hematopoietic<br>system   nervous<br>system   | Not classified   | Mouse   | NOAEL<br>8,100<br>mg/kg/day | 90 days              |
| Benzyl Benzoate | Dermal    | skin   endocrine<br>system   nervous<br>system   heart  <br>hematopoietic<br>system   liver  <br>immune system  <br>kidney and/or<br>bladder   respiratory<br>system | Not classified   | Rat     | NOAEL<br>1,250<br>mg/kg/day | 4 weeks              |

# **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

## 15.1. US Federal Regulations

Contact 3M for more information.

#### **EPCRA 311/312 Hazard Classifications:**

| Physical Hazards |  |
|------------------|--|
| Not applicable   |  |

| Health Hazards |  |
|----------------|--|
| Not applicable |  |

# Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

| <b>Ingredient</b>                        | C.A.S. No | % by Wt            |
|--|-----------|--------------------|
| Ethoxydiglycol (CAS NO SEQ548L1)         | 111-90-0  | Trade Secret 1 - 5 |
| Ethoxydiglycol (GLYCOL ETHERS)           | 111-90-0  | Trade Secret 1 - 5 |
| Tributoxyethyl Phosphate (GLYCOL ETHERS) | 78-51-3   | Trade Secret < 1   |

## 15.2. State Regulations

Contact 3M for more information.

## 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

# 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

#### NFPA Hazard Classification

Health: 1 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

 Document Group:
 32-9595-3
 Version Number:
 12.00

 Issue Date:
 02/13/24
 Supercedes Date:
 09/07/22

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com