

SAFETY DATA SHEET Rational Red Detergent Tablets

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Rational Red Detergent Tablets

Internal identification 023145

100 PCS Container size

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House **Beaumont Road** Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Met. Corr. 1 - H290

Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318

Not Classified **Environmental hazards**

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements P234 Keep only in original packaging.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

Contains SODIUM HYDROXIDE, DISODIUM METASILICATE, Fatty Alcohol Ethoxylate

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in a corrosion-resistant container with a resistant inner liner.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE 30-60%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-XXXX

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

SODIUM CARBONATE 10-20%

CAS number: 497-19-8 EC number: 207-838-8

Classification

Eye Irrit. 2 - H319

DISODIUM METASILICATE 10-20%

CAS number: 6834-92-0 EC number: 229-912-9

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

Fatty Alcohol Ethoxylate 1-5%

CAS number: 111190-40-0

M factor (Acute) = 1

Classification
Eye Dam. 1 - H318
Aquatic Acute 1 - H400

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water

or milk to drink. Get medical attention if symptoms are severe or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Continue to

rinse for at least 10 minutes. Get medical attention if irritation persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion Corrosive. May cause severe internal injury. May cause chemical burns in mouth,

oesophagus and stomach.

Skin contact Contact with concentrated chemical may cause severe skin damage.

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media
The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards Corrosive gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable

distance.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing

conforming to European standard EN469 (including helmets, protective boots and gloves) will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of dust and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains and the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container. Storage precautions

Chemical storage. Corrosive storage. Storage class

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m3

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of dust.

Eye/face protection Tight-fitting safety glasses.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from

chemicals, gloves should comply with European Standard EN374.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

Respiratory protection No specific requirements are anticipated under normal conditions of use. Respiratory

protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid. Tablet.

Colour White.

Odour Characteristic.

pH 12.7

Flash point > 93°C

Relative density 1100 g/l

Solubility(ies) Soluble in water.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

The following materials may react strongly with the product: Acids.

10.4. Conditions to avoid

Conditions to avoid Humidity

10.5. Incompatible materials

Materials to avoid Acids.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

products vapours

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Skin corrosion/irritation

Skin corrosion/irritation May cause serious chemical burns to the skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation May cause respiratory irritation.

Ingestion May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact May cause serious chemical burns to the skin.

Eye contact May cause serious eye damage.

Revision date: 23/06/2021 Revision: 2 Supersedes date: 17/02/2021

Rational Red Detergent Tablets

Route of exposure Skin and/or eye contact Inhalation Ingestion

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No information available.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3262

UN No. (IMDG) 3262

UN No. (ICAO) 3262

UN No. (ADN) 3262

14.2. UN proper shipping name

Proper shipping name

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (User to define)

(ADR/RID)

Proper shipping name (IMDG) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (User to define)

Proper shipping name (ICAO) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (User to define)

Proper shipping name (ADN) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (User to define)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C6

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II

ADN packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

IMDG Code segregation 18. Alkalis

group

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Guidance EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances

Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date 23/06/2021

Revision 2

Supersedes date 17/02/2021

SDS number 21473

Hazard statements in full H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.